

Model No.		VZCA16160	
Image Format Cover		1" ~ 1/3"	
Focal Length		16 ~ 160mm	
Maximum Aperture Ratio		1:2.0-2.4	
Zoom Ratio		10X	
Iris	Control Method	Video Drive	
	Iris Range	F2.0(2.4) ~ 360	
	Speed	Approx. 2 sec	
	Input Voltage & Current	DC8 ~ 16V Max.30mA	
	Sensitivity Adjustment	0.5 ~ 1.0Vp-p	
Focus	Control Method	Motorized	
	Speed	Approx. 6 sec	
	Input Voltage & Current	DC12V Max.50mA	
Zoom	Control Method	Motorized	
	Speed	Approx. 6 sec	
	Input Voltage & Current	DC12V Max.50mA	
Angle Field of View (DXHXV)	1/3 inch	Wide	20.8°X16.7°X12.5°
		Tele	2.2°X1.8°X1.3°
	1/2 inch	Wide	27.7°X22.1°X16.7°
		Tele	3.0°X2.4°X1.8°
	2/3 inch	Wide	37.1°X30.0°X22.8°
		Tele	4.1°X3.3°X2.4°
	1 inch	Wide	53.4°X43.4°X32.9°
		Tele	5.7°X4.6°X3.5°
Minimum Object Distance		1.5m	
Back Focal Length		34.94mm	
Effective Diameter	Front	ø63.0mm	
	Rear	ø18.4mm	
Filter Screw Size		M67.0 P=0.75	
Mount / Flange Back		C/17.526	
Mechanical Dimension (WXHXL)		118.0mmX91.0mmX165.0mm	
Total Weight		1340.0g	
Application Temperature Range		0°C ~ +50°C (+32°F ~ +122°F)	
Remarks		---	

