


# F05Z30NDDCPO

Home | Security | Lenses | Zoom

F05Z30NDDCPO  
F1.8/5.5-165mm DC Motor Zoom Lens, 1/3"CS,  
with Potentiometers

Art-Nr. 40232



## Main Features

Suitable for 1/3" and 1/4" Colour and B&W Cameras  
CS Mount  
DC Controlled Iris  
High Standard of Optical and Mechanical Quality

Quality Motors on Focus and Zoom  
Potentiometers on Focus and Zoom  
Adjustable Slip-ring Mount for Cable Positioning

## Specifications

Lens type	Zoom with potentiometers
Aspherical technology	no
Nominal format size	1/3"
Flange focal length	12.5mm
Mount	CS
Focal length	5,5 mm - 165 mm
Horizontal angle of view	47,6° - 1,7°
MOD (Minimum object distance)	1,8 m
Aperture range (F)	F1.8~F360
Iris control	DC
Screw-in depth	4.0mm
Filter screw size	M72x0.75mm
Response time	approx. 6sec. (at 8VDC)
Supply voltage range	8.0VDC +/-20%
Max. current consumption/motor (run)	25mA

# F05Z30NDDCPO

(Continuation Spezifications)

<b>Motor clutch on focus/zoom</b>	Yes
<b>Potentiometer on focus and zoom</b>	Available
<b>Cable length</b>	>50cm
<b>Connection</b>	4 pin DC plug
<b>Temperature range (Operation)</b>	-10° ~+50°C
<b>Length</b>	167 mm
<b>Width</b>	87 mm
<b>Height</b>	80 mm
<b>Weight</b>	880g

