

## Video Security



### VKC-149/PIR

1/4" Colour Camera with 3.7mm Lens and PIR Sensor, 12VDC, 340TVL

Art-No. 91813



### Features

#### For Wall Mount

Resolution of 380 Horizontal Lines

Built-in Pinhole Lens F2.0/3.7 mm

Electronic Shutter Control (ESC)

Internal Synchronization

**Build-in Microphone with Pre-amplifier**

**PIR Sensor Function**

**Easy Installation**

**Supply Voltage: 12 VDC**

### Specifications

Imager	1/4" Interline Transfer CCD
Picture elements	Approx. 290,000 (H) 512 x (V) 582
System	CCIR/PAL
Synchronization	Internal
Sensitivity at 50% video signal	2.5Lux at F2.0 (VT measurement result); 0.9Lux at F1.2
Horizontal resolution	380 TV lines
Electronic shutter control (ESC)	1/50 to 1/100,000 sec. (automatic)
Lens	F2.0/3.7 mm Pinhole
Horizontal angle of view	52°
Video output	1 Vp-p, CVBS, 75 ohms
Supply voltage	12 VDC +/-10 %
Power consumption	Approx. 1.3watts
Temperature range	-10° to +50°C
Housing	Plastic
Mounting	Wall mount (bracket included)
Colour	Light grey
Dimensions (HxWxD)	110x70x50 mm(w./o. bracket)
Weight	Approx. 100 g

## VKC-149/PIR

(Specifications continued)

### Special features

Build-in microphone with pre-amplifier and PIR sensor function

## Accessories

**77779 / VT-PS12DC-UK**

Power Supply Unit w. UK Mains plug-in,  
100-240VAC/12VDC-1.0A, Regul., open Ends

**70447 / VT-PS12DC-5**

Plug-in Power Supply Unit 100-240VAC 12VDC (1.0Amp),  
Regulated, with DC Plug

VIDEOR TECHNICAL E. Hartig GmbH  
Carl-Zeiss-Straße 8 · 63322 Rödermark · Germany  
Telefon +49 (0) 60 74/8 88-0 · Telefax +49 (0) 60 74/8 88-100  
info@videortechnical.com · www.videortechnical.com

