

Video Security

Monitors | eneo TFT/LCD Monitors

VMC-8.4LCD-CM

8.4" (21.3cm) LCD/TFT Colour Monitor with
Black Cabinet, 12V/230VAC

Art-No. 90488



The desktop stand is not part of delivery

Features

8.4" (21.3cm) Display Screen Size

Multi Language On-screen Menu Control

Resolution: 800x600 Pixels

CVBS, S-Video, VGA Input

PAL/NTSC Automatic Selection

Automatic Picture Adjustment at PC Operation

Supply Voltage: 12VDC/230VAC

Various of Applications

Robust Metal Cabinet

Angled Monitor Stand (Option)

Specifications

Video standard	PAL, NTSC (Auto detection)
Scanning frequency range (H)	15.63 ~ 15.73kHz
Scanning frequency range (V)	50 ~ 60Hz
Synchronization	TTL Separate, Composite
Display element	Colour TFT/LCD, Total no. of pixels: 480 000
Screen size	8,4" (21,3 cm)
Active area	170.5 (H) x 128.4 (V) mm
Pixel format	800 (H) x 600 (V) 0.213x0.213mm
Pixel fault class	ISO 13406-2, Class II
Horizontal resolution	approx. 420 TV lines (CVBS)
Colour scales	262,144 (6bit)
Contrast ratio typical	250:1
Brightness typical	350cd/m ²
Viewing angle top	45°
Viewing angle right	50°
Viewing angle bottom	45°
Viewing angle left	50°
Response time typical	100ms, 100ms (tr: 50 / tf: 50)
PC interfaces	SVGA, VESA standard: VGA to SVGA, 15-pin


VMC-8.4LCD-CM

(Specifications continued)

Video inputs (type)	CVBS, Y/C, RGB
Video inputs	CVBS: 1Vp-p, 75ohms, Cinch Y/C: Y= 0.7Vp-p, C= 0.3Vp-p, 75ohms, 4-pin MiniDIN
Audio inputs	no
Audio input	-
Loudspeaker	-
Menu languages	English, German, French, Spanish, Italian, Korean, Japanese
Supply voltage	12VDC +/-5% (Power supply unit included)
Power consumption	10.8watts max.
External adjustments	On/Off, Menu, Mode, Cursor
Temperature range (Operation)	0 ~ +50°C
Housing material	metal
Housing	Metal
Colour (housing)	black
Colour	black
Dimensions (HxWxD)	See drawing
Mount	4x threads M4 75x75mm, for wall mounting (see drawing)
Weight	2.0kg
Parts supplied	PSU 100~240V/12VDC with power cord, Multiple connection cable (S-Video IN, Power IN, CVBS IN), VGA cable, Video adapter cable, Cinch/BNC adapter, IR remote control unit, Multiple language manual
Certificates	n/a

Accessories

90491 / LCD-ST/CM1	Desktop Mount for LCD Monitor VMC-8.4 and VMC-10.4, CM Series
90394 / VMC-LCD/WCMB-1	Wall/Ceiling Bracket for LCD Monitors 15"/17"/19" P/PT/D Series
90426 / VMC-LCD/WMB-1	Wall Bracket for TFT/LCD Monitors, straight
90468 / VMC-LCD/WMB-4	Wall Bracket for LCD Monitors up to 23", Pan and Tilttable
90505 / UNO	Wall Bracket for LCD Monitors up to 23", Pan and Tilttable



Maße/Dimensions: mm

VIDEOR TECHNICAL E. Hartig GmbH
 Carl-Zeiss-Straße 8 · 63322 Rödermark · Germany
 Telefon +49 (0) 60 74/8 88-0 · Telefax +49 (0) 60 74/8 88-100
 info@videortechnical.com · www.videortechnical.com